



Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	64507	"345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 14:21
S2	104	"345"/\$.ccls. and blackman.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 14:22
S3	0	"345"/\$.ccls. and blackman.xa. and (gui or user )near10 drawing near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 14:23
S4	2	"345"/\$.ccls. and blackman.xa. and (gui or user )near10 (scene or image or picture or illustrat\$5 or drawing) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 14:30
S5	613	"345"/\$.ccls. and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 14:31
S6	97	"345"/\$.ccls. and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:13
S7	53	"345"/\$.ccls. and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:14

S8	18	"345"/\$.ccls. and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)and (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)same (node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 14:34
S9	18	"345"/\$.ccls. and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)and (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)same (node\$1)and( process\$4 or cpu or micro adj process\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:24
S10	18	"345"/\$.ccls. and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)and (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)same (node\$1)and( process\$4 or cpu or micro adj process\$4)and (display\$4 or view\$4 or visual\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 14:36
S11	0	"345"/\$.ccls. and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)and (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)same (node\$1)and( process\$4 or cpu or micro adj process\$4)and (display\$4 or view\$4 or visual\$8) and 345/707	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 14:36

S12	0	"345"/\$.ccls. and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)and (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)same (node\$1)and( process\$4 or cpu or micro adj process\$4)and (display\$4 or view\$4 or visual\$8) and 345/713	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 14:37
S13	1	"345"/\$.ccls. and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)and (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)same (node\$1)and( process\$4 or cpu or micro adj process\$4)and (display\$4 or view\$4 or visual\$8) and 345/762	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 14:37
S14	0	"345"/\$.ccls. and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)and (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)same (node\$1)and( process\$4 or cpu or micro adj process\$4)and (display\$4 or view\$4 or visual\$8) and 345/851	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 14:37



S15	0	"345"/\$.ccls. and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)and (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)same (node\$1)and( process\$4 or cpu or micro adj process\$4)and (display\$4 or view\$4 or visual\$8) and 345/852	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 14:38
S16	0	"345"/\$.ccls. and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)and (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)same (node\$1)and( process\$4 or cpu or micro adj process\$4)and (display\$4 or view\$4 or visual\$8) and 345/854	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 14:40
S17	52	(gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)and (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)same (node\$1)and( process\$4 or cpu or micro adj process\$4)and (display\$4 or view\$4 or visual\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 14:40

S18	2	"345"/\$.ccls. and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)and (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)same (node\$1)and( process\$4 or cpu or micro adj process\$4)and (display\$4 or view\$4 or visual\$8) and 345/764	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 14:41
S19	1	"345"/\$.ccls. and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)and (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)same (node\$1)and( process\$4 or cpu or micro adj process\$4)and (display\$4 or view\$4 or visual\$8) and 345/763	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 14:45
S20	3	"345"/\$.ccls. and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)and (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)same (node\$1)and( process\$4 or cpu or micro adj process\$4)and (display\$4 or view\$4 or visual\$8) and 345/853	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 14:59

S21	3	"345"/\$.ccls. and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)and (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)same (node\$1)and( process\$4 or cpu or micro adj process\$4)and (display\$4 or view\$4 or visual\$8) and 345/440	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:00
S22	100	345/440 and 345/764	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:10
S23	100	345/440 and 345/764	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:11
S24	25	345/440 and 345/764 and 345/853	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:12
S25	12	345/440 and 345/764 and 345/853 and 345/854	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:12
S26	3	345/440 and 345/764 and 345/853 and 345/854 and 345/855	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:13
S27	34	345/440 and 345/764 and (345/853 or 345/854 or 345/855)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:13

S28	0	(345/440 and 345/764 and (345/853 or 345/854 or 345/855)) and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:14
S29	0	(345/440 and 345/764 and (345/853 or 345/854 or 345/855)) and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:14
S30	0	(345/440 and 345/764 and (345/853 or 345/854 or 345/855)) and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)and (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)same (node\$1)and( process\$4 or cpu or micro adj process\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:14
S31	0	345/855 and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)and (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)same (node\$1)and( process\$4 or cpu or micro adj process\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:15



S32	0	345/854 and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)and (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)same (node\$1)and( process\$4 or cpu or micro adj process\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:15
S33	3	345/853 and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)and (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)same (node\$1)and( process\$4 or cpu or micro adj process\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:15
S34	119	345/855	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:16
S35	32	345/855 and node\$1 near10 (visual\$9 or view\$4 or display\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:17
S36	16	345/855 and node\$1 near10 (visual\$9 or view\$4 or display\$)same (generat\$4 or creat\$4 editing or adjust\$6 or modif\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:18
S37	9	345/855 and (node\$1 near10 (visual\$9 or view\$4 or display\$)same (generat\$4 or creat\$4 editing or adjust\$6 or modif\$9)) same select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:18
S38	52	345/854 and (node\$1 near10 (visual\$9 or view\$4 or display\$)same (generat\$4 or creat\$4 editing or adjust\$6 or modif\$9)) same select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:18

S39	77	345/853 and (node\$1 near10 (visual\$9 or view\$4 or display\$\$)same (generat\$4 or creat\$4 editing or adjust\$6 or modif\$9)) same select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:19
S40	32	345/764 and (node\$1 near10 (visual\$9 or view\$4 or display\$\$)same (generat\$4 or creat\$4 editing or adjust\$6 or modif\$9)) same select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:19
S41	57	345/440 and (node\$1 near10 (visual\$9 or view\$4 or display\$\$)same (generat\$4 or creat\$4 editing or adjust\$6 or modif\$9)) same select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:19
S42	3	345/440 and (node\$1 near10 (visual\$9 or view\$4 or display\$\$)same (generat\$4 or creat\$4 editing or adjust\$6 or modif\$9)) same select\$4 and (345/855 and (node\$1 near10 (visual\$9 or view\$4 or display\$\$)same (generat\$4 or creat\$4 editing or adjust\$6 or modif\$9)) same select\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:19
S43	9	((("382"/\$).CCLS.) and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)and (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)same (node\$1)and( process\$4 or cpu or micro adj process\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:26

S44	9	((("382"/\$).CCLS.) and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)and (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)same (node\$1)and( process\$4 or cpu or micro adj process\$4)) and (gui or user )near10 (scene or image or picture or illustration\$1 or drawing\$1) near10 (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)and (node\$1)same (scene or image or picture or illustration\$1 or drawing\$1)and (generat\$4 or creat\$4)near10 (step\$1 or instruction\$1 or program\$9)same (node\$1)and( process\$4 or cpu or micro adj process\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/14 15:27
-----	---	--	---	----	----	------------------